

), '(/ , 7 < 3 (16, 21 0 \$ 1 \$ * (56 / , 0, 7 (' 56 \$) 81 ' 9 680 0 \$ 5 <), 1 \$ 1 & \$ / , 1) 250 \$ 7, 21) 25 7 < (\$ 5 (' (' ' (& (0 % 5	
7KH' LUHFW/R WHSHQ/RQ) X G\$ GP/LQV WVR\$ \$ S HV @WVHV/ X PDU I LCCDRLQ RUP D/V RDR) LGHW/3HQ/RQ0 DDDJHU/ LP LAGS 6 \$) X G9 WHX X G IRUMVHKDUHQ3G ' HFPE H 7KHV N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G IUP WHX X Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H DGGDUHQ/VVHX Q LCCDRLQ/DWPHQV/R WHX X G 7KHIX Q LCCDRLQ/DWPHQV WRP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G ZLDE I8-DHFGW 7K-H1 D/V RDR3HQ/RQ&RP P/LV RQZ LVL&WHKHUHQ3G I8G-D3DH 7KH) X QI \$ X G VUWV X' BDOX ERQZJ-GDX GVS QRQRQWHX Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G	
67 \$ 7 (0 (17 2) 1 (7 \$ 6 (7 6 \$ 6 \$ 7 ' (& (0 % 5 , QWR X V IR @ @ND \$ 66 (7 6 & D/ KOGFDV/ IKTX YDBQV , QV/ VHQW/ FK IAH/DVQV DXX HNRX & S E V RUCV V , QV/ VHQW/ FK IAH/DVQV RUV/ GFRV W	67 \$ 7 (0 (17 2) & + \$ * (6, 11 (7 \$ 66 (7 6) 25 7 + (< (\$ 5 (' (' ' (& (0 % 5 , QWR X V IR @ @V U D 1 H VAWLQR QV W V @ V V , QMUV W RHFDBX DWGK VQLVHKU IAHV LQWUW IAHVRS
7 R DDDV WHV	2 WHULQFRPH
/ , \$ % , / 7, (6 2 WHULQDE QVHV 7 R DDDV E LQWHV	([SHQV \$ V NVP DDDV P HQV HV 2 WHULJ S @ V
0 HPE BV FROVEXRQV L 5 HQDGHUQV 7 R DDDV QMEXAR V IXCG	& KDDJ H QY QHR QY MRPQV) DLUYDX KBV RQLOV/ VHQW/ FK IAHV , PS DDP HQV/ RQZ LCCDRLQ/DWPHQV V
5 HXU @ QY MRPQV	1 H LWR IH
7KH' LUHFW/R WHSHQ/RQ) X G\$ GP/LQV WVR\$ \$ S HV @WVHV/ X PDU I LCCDRLQ RUP D/V RDR) LGHW/3HQ/RQ0 DDDJHU/ LP LAGS 6 \$) X G9 WHX X G IRUMVHKDUHQ3G ' HFPE H 7KHV N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G IUP WHX X Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H DGGDUHQ/VVHX Q LCCDRLQ/DWPHQV/R WHX X G 7KHIX Q LCCDRLQ/DWPHQV WRP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G ZLDE I8-DHFGW 7K-H1 D/V RDR3HQ/RQ&RP P/LV RQZ LVL&WHKHUHQ3G I8G-D3DH 7KH) X QI \$ X G VUWV X' BDOX ERQZJ-GDX GVS QRQRQWHX Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G	(P S RHHV FROVEXRQV L % H Q V S W S DGGZ LAGLZ QY 1 HV FROVEXRQV QV WHKHU
 - RQV @ JX & KX BX & KOLP DQ) 5 & , \$ 1	 9 LWDV, NH & KH) LCCDRLQ V RUV) 5 & , \$ 1
 RQZ LVL & WHKHUHQ3G I8G-D3DH 7KH) X QI \$ X G VUWV X' BDOX ERQZJ-GDX GVS QRQRQWHX Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G	1 HV FROVEXRQV QV WHKHU
1' (3 (1' (17 \$ 8', 7 25 65 (32 5 7 7 RVHQ HPE BV R) LGHW/3HQ/RQ0 DDDJHU/ LP LAGS 6 \$) X G9	1 HV FROVEXRQV QV WHKHU
2 SQR Q 7KHV X PDU I LCCDRLQ RUP D/V RDR ZKRF RPS V H I VHV/ WFBQV/R QV D/ WVB/DV ' HFPE H I VHV/ WFBQV/R RQD/H/LQV D/ HV V DUHGHU/G IUP WHX X Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G	\$ XQV U S V VRSZELQV \ 2 X UHV SCRELDV/VRH S HV WDRS QRQRQWHX X HVHV/ X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G IUP WHX X Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G ZLDE I8-DHFGW 7K-H1 D/V RDR3HQ/RQ&RP P/LV RQZ LVL&WHKHUHQ3G I8G-D3DH 7KH) X QI \$ X G VUWV X' BDOX ERQZJ-GDX GVS QRQRQWHX Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G
, QRX IBS QRQ WHQF RS Q LQV X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G IUP WHX X Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G	FRQVHQV LQDDP DDUJDUHV/ SFW Z LK WHX X Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G ZLDE I8-DHFGW 7K-H1 D/V RDR3HQ/RQ&RP P/LV RQZ LVL&WHKHUHQ3G I8G-D3DH 7KH) X QI \$ X G VUWV X' BDOX ERQZJ-GDX GVS QRQRQWHX Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G
6XP PDU I LCCDRLQ RUP D/V RDR 7KHV X PDU I LCCDRLQ RUP D/V RDR GRQV F BMDQDWHQV @V X VUHX I8G E \) 56 SFRX QV D/V X' B E VHV , QMUV W RHFDBX DWGK VQLVHKU IAHV LQWUW IAHVRS	6 LQCG 1 QND (Q R) & \$) 5 & , \$ 1) RUV 3 0 * 3UR N' RQDGHUHV KQVUHS SFRX QV V 0 D) DJRV 1 LHUD
7KHV XQVNG I LCCDRLQ/DWPHQV/DG2 XU5 H B W KRUH Q : HJ S HV NQDQX ERQZJ-GDX GVS QRQRQWHX X HVHV/ X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G IUP WHX X Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G	
5 H VRSZELQV/R WHSHQ/RQ) X G\$ GP/LQV WVR\$ \$ S HV @WVHV/ X PDU I LCCDRLQ RUP D/V RDR) LGHW/3HQ/RQ0 DDDJHU/ LP LAGS 6 \$) X G9 WHX X G IRUMVHKDUHQ3G ' HFPE H 7KHV N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G IUP WHX X Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H DGGDUHQ/VVHX Q LCCDRLQ/DWPHQV/R WHX X G 7KHIX Q LCCDRLQ/DWPHQV WRP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G ZLDE I8-DHFGW 7K-H1 D/V RDR3HQ/RQ&RP P/LV RQZ LVL&WHKHUHQ3G I8G-D3DH 7KH) X QI \$ X G VUWV X' BDOX ERQZJ-GDX GVS QRQRQWHX Q LCCDRLQ/DWPHQV/IRUWHKHUHQ3G ' HFPE H IUP ZKRF WHX N' X PDU I LCCDRLQ RUP D/V RDR DUHGHU/G	

FIDELITY PENSION MANAGERS LIMITED (RC 607654)

\$ K P R G X 7 L M D Q L & O R V H 2 I I 6 D Q X V L) D I X Q Z D 9 L F W R U L D , V O D Q G / D J R V 7 H 6
 & D O O & H Q W U H) D F

ABUJA: 7, Kabale Close, Wuse Zone 3, Abuja. Tel: +234 9 6720547 Fax: 5239434
 AWKA: 7, Ziks Avenue, Awka. Tel: +234 46 321467
 ENUGU: 8, Oguji Road, Enugu. Tel: +234 46 320892
 PORT HARCOURT: 1, Ogbunabali Road, Off Garrison Junction, Port Harcourt. Tel: +234 84 240973
 www.fidelitypensionmanagers.com

DIRECTORS:
 Johnson Chukwu (Chairman)
 Donald Onuoha (MD/CEO)
 \$ U L Q J H 2 Q R Q Z X (' 7 H F K O
 Chris Okenwa (Director)
 Justus Osueke (Director)
 Sie Iyeneomi (Director)
 Joyce Obi (Director)
 Ifeoma Ulasi (Director)
 - R K Q 2 E L ' L U H F W